

CONTRACT C WORKSHEET

PRON M1216280M1

AMC 1

AMSC G

ATC LAE3E

TDP 12983496

TDPL DATE 05/16/02

NSN 6150014599487

NOMENCLATURE CABLE ASSY CFM/GFM FST-W542

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

12983497:

Note 3, change to read "Before heat shrinking insulation sleeving, apply with hot stamp marking foil the nomenclature listed in notes 4 & 6 to the sleeving with white characters as specified in paragraph 3 of SAE-AS81531."

Note 9, delete "Icore International" as an approved source of supply.

12323271:

Sheets 2 thru 61, disregard Distribution Statement.

TDPL:

Document:

MIL-M-81594

PS 12983496

Delete:

X

- -

Substitute:

MIL-B-43436/1,2,3,4,5

- -

Add:

- -

Orig, 1/17/01

GFM/GFE: DRAWING NO.

DOCUMENT SUMMARY LIST

Item: CABLE and CONDUIT ASSEMBLY

NSN: 6150-01-459-9487

Control Number/PRON: M1216280

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY O - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9003	Quality Systems-Model for Quality Assurance in Final Inspection and Test OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

CONTRACT C WORKSHEET

PRON M1216278M1

AMC 2

AMSC G

ATC LAE3E

TDP 12983418

TDPL DATE 06/07/02

NSN 6150014584340

NOMENCLATURE CABLE ASSY TPU-W533

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

LEVEL A PACKAGING SHALL BE IN ACCORDANCE WITH METHOD 41 OF MIL-STD-2073-1 UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

DELETE PEI ELECTRONICS, INC AND ICORE INTERNATIONAL AS APPROVED SOURCES OF SUPPLY FOR PART 12983419, CONDUIT ASSEMBLY TPU-W533. DRAWING 12983419, NOTE 9 WILL BE UPDATED TO ADD DRAWING NO. 12983419 AS VENDORS ITEM IDENT NO. FOR JOSLYN SUNBANK CORP. POC AT SUNBANK IS RENE HEMMINGWAY, PHONE 805-238-2840 EXT.102 ADD: "GLENAIR INC. 1211 AIR WAY, GLENDALE CA 91201-2497" WITH VENDOR PART NO."12983493" AS AN APPROVED SOURCE OF SUPPLY. POC AT GLENAIR IS LYNN DUTCHER, PHONE 818-247-6000 EXT.233.

DWG 12309071

Add Distribution Statement "C"

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one): Y or X N

DOCUMENT SUMMARY LIST

Item: CABLE AND CONDUIT ASSEMBLY

NSN: 6150-01-458-4340

Control Number/PRON: M1216278

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9003	Quality Systems-Model for Quality Assurance in Final Inspection and Test OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

CONTRACT C WORKSHEET

PRON M1216276M1

AMC 2

AMSC G

ATC LAE3E

TDP 12983414

TDPL DATE 06/03/02

NSN 6150014581575 NOMENCLATURE CABLE ASSY CEU-W531

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

Level A packaging shall be in accordance with Method 41 of MIL-STD-2073 unless otherwise specified.

DOCUMENT	DELETE	REPLACE WITH
12983414, 12983415		
CHED-228	MIL-S-83519	SAE-AS53519

IN DRAWING 12983415, REPLACE NOTE 3 WITH: "BEFORE HEAT SHRINKING INSULATION SLEEVING, APPLY WITH HOT STAMP MARKING FOIL THE NOMENCLATURE LISTED IN NOTES 4 AND 6 TO THE SLEEVING WITH WHITE CHARACTERS AS SPECIFIED IN PARAGRAPH 3 OF SAE-AS81531".

DELETE PEI ELECTRONICS, INC AND ICORE INTERNATIONAL AS APPROVED SOURCES OF SUPPLY FOR PART 12983415, CONDUIT ASSEMBLY CEU-W531. DRAWING 12983415, NOTE 9 WILL BE UPDATED TO ADD DRAWING NO. 12983415 AS VENDORS ITEM IDENT NO. FOR JOSLYN SUNBANK CORP. POC AT SUNBANK IS RENE HEMMINGWAY, PHONE 805-238-2840 EXT.102 ADD: "GLENAIR INC. 1211 AIR WAY, GLENDALE CA 91201-2497" WITH VENDOR PART NO."12983415" AS AN APPROVED SOURCE OF SUPPLY. POC AT GLENAIR IS LYNN DUTCHER, PHONE 818-247-6000 EXT.233.

DOD-STD-00100D REMAINS IN EFFECT SINCE THAT IS THE SPEC THAT THE DRAWINGS WERE PREPARED TO.

SPEC 12309071 Add Distribution Statement "C"

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one): Y or X N

DOCUMENT SUMMARY LIST

Item: CABLE AND CONDUIT ASSEMBLY

NSN: 6150-01-458-1575

Control Number/PRON: M1216276

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY O - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9003	Quality Systems-Model for Quality Assurance in Final Inspection and Test OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

CONTRACT C WORKSHEET

PRON M1216275M1 AMC 2 AMSC G ATC LAE3E

TDP 12983570 TDPL DATE 05/31/02

NSN 6150014581574 NOMENCLATURE CABLE ASSY RMC-W550

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

LEVER (A) PACKAGING SHALL BE IN ACCORDANCE WITH METHOD (41) OF MIL-STD-2073-1 UNLESS OTHERWISE STATED IN THE CONTRACT.

DOCUMENT	DELETE	REPLACE WITH
12983570	MIL-S-83519	SAE-AS83519
"	MIL-S-83519/2	SAE-AS83519/2

IN DRAWING 12983571, REPLACE NOTE 3 WITH: "BEFORE HEAT SHRINKING INSULATION SLEEVING, APPLY WITH HOT STAMP MARKING FOIL THE NOMENCLATURE LISTED IN NOTES 4 AND 6 TO THE SLEEVING WITH WHITE CHARACTERS AS SPECIFIED IN PARAGRAPH 3 OF SAE-AS81531".

DELETE PEI ELECTRONICS, INC AND ICORE INTERNATIONAL AS APPROVED SOURCES OF SUPPLY FOR PART 12983571, CONDUIT ASSEMBLY RMC-W550. DRAWING 12983571, NOTE 9 WILL BE UPDATED TO ADD DRAWING NO. 12983571 AS VENDORS ITEM IDENT NO. FOR JOSLYN SUNBANK CORP. POC AT SUNBANK IS RENE HEMMINGWAY, PHONE 805-238-2840 EXT.102 ADD: "GLENNAIR INC. 1211 AIR WAY, GLENDALE CA 91201-2497" WITH VENDOR PART NO."12983493" AS AN APPROVED SOURCE OF SUPPLY. POC AT GLENNAIR IS LYNN DUTCHER, PHONE 818-247-6000 EXT.233.

DWG 12309071 Add Distribution Statement "C"

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one): Y or X N

DOCUMENT SUMMARY LIST

Item: CABLE AND CONDUIT ASSEMBLY
NSN: 6150-01-458-1574
Control Number/PRON: M1216275

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY O - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9003	Quality Systems-Model for Quality Assurance in Final Inspection and Test OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

CONTRACT C WORKSHEET

PRON M1216273M1

AMC 2

AMSC G

ATC LAE3E

TDP 12983584

TDPL DATE 05/22/02

NSN 6150014581571

NOMENCLATURE CABLE ASSY CCHA-W551

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

LEVER (A) PACKAGING SHALL BE IN ACCORDANCE WITH METHOD (41) OF MIL-STD-2073-1 UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

DRAWING 12983585:

REPLACE NOTE 3 WITH: "BEFORE HEAT SHRINKING INSULATION SLEEVING, APPLY WITH HOT STAMP MARKING FOIL THE NOMENCLATURE LISTED IN NOTES 4 AND 6 TO THE SLEEVING WITH WHITE CHARACTERS AS SPECIFIED IN PARAGRAPH 3 OF SAE-AS81531".

NOTE 1: DOD-STD-00100D REMAINS IN EFFECT SINCE THAT IS THE SPEC THAT THE DRAWINGS WERE PREPARED TO.

NOTE 9:

DELETE "PEI ELECTRONICS, INC" & "ICORE INTERNATIONAL" AS APPROVED SOURCES OF SUPPLY. REPLACE WITH "GLENNAIR INC. 1211 AIR WAY, GLENDALE CA 91201-2497" WITH VENDORS ITEM IDENT NO. "12983585". POC AT GLENNAIR IS LYNN DUTCHER PHONE 818-247-6000 EXT233.

POC AT JOSLYN SUNBANK IS RENE HEMMINGWAY PHONE 805-238-2840 EXT102.

SPEC 12309071 Add Distribution Statement "C"

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one): Y or X N

DOCUMENT SUMMARY LIST

Item: CABLE AND CONDUIT ASSEMBLY

NSN: 6150-01-458-1571

Control Number/PRON: M1216273

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. N/A	Section C titled: Configuration Management Documentation	N/A Cat 2
1b. DI-CMAN-80639C (seq A001)	Engineering Change Proposal (ECP)	30 Sep 00 Cat 1
1c. DI-CMAN-80640C (seq A002)	Request for Deviation (RFD)	30 Sep 00 Cat 1
1d. DI-CMAN-80642C (seq A003)	Notice of Revision (NOR)	30 Sep 00 Cat 1
2. ANSI/ISO/ASQC Q9003	Quality Systems-Model for Quality Assurance in Final Inspection and Test OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: CABLE and CONDUIT ASSEMBLY
TO CONTRACT/PR: M1216280

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE
		9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80639C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT	8. -
		9. **
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694 AND 1695)

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80640C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT	8. -
		9. **
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT

HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

1. A003	14.
2. NOTICE OF REVISION (NOR)	SEE ADDRESS CODE / /
3.	DISTRIBUTION / /
	ATTACHED** / /
4. DI-CMAN-80642C*	
5. SECTION C	
6. AMSTA-AR-QAW	7. LT 8. - 9. ***
10. ASREQ	11. ---
	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ

16. REMARKS

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695) ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:
https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAC

DATE: 06/24/2002

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: CABLE AND CONDUIT A
TO CONTRACT/PR: M1216278

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT	
	250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80639C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	
16. REMARKS		
<p>*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT <u>HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM</u> ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694 AND 1695)</p>		

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80640C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	
16. REMARKS		
<p>*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT</p>		

exh B

HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

1. A003	14.	
	SEE ADDRESS CODE	/ /
2. NOTICE OF REVISION (NOR)	DISTRIBUTION	/ /
3.	ATTACHED**	/ /
4. DI-CMAN-80642C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT	8. - 9. ***
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:

https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: CABLE AND CONDUIT ASSEMBLY

TO CONTRACT/PR: M1216276

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT	
	250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80639C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	
16. REMARKS		

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT [HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM](http://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM) ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DDFORMS 1692,1694,1695)

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80640C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	
16. REMARKS		

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT [HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM](http://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM) ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

1. A003

2. NOTICE OF REVISION (NOR)

3.

4. DI-CMAN-80642C*

5. SECTION C

6. AMSTA-AR-QAW

7. LT

8. -

9. ***

10. ASREQ

11. ---

15. TOTAL 0/ 0/ 0

12. ASREQ

13. ASREQ

16. REMARKS

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695) ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:

https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

14.

SEE ADDRESS CODE / /

DISTRIBUTION / /

ATTACHED** / /

DATE: 07/11/2002

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: CABLE AND CONDUIT A
TO CONTRACT/PR: M1216275

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT	
	250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80639C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT [HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM](http://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM) ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694 AND 1695)

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80640C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT 8. - 9. **	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	

16. REMARKS
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT

HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

1. A003	14.
	SEE ADDRESS CODE / /
2. NOTICE OF REVISION (NOR)	DISTRIBUTION / /
3.	ATTACHED** / /
4. DI-CMAN-80642C*	
5. SECTION C	
6. AMSTA-AR-QAW	7. LT 8. - 9. ***
10. ASREQ	11. --- 15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ

16. REMARKS

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695) ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:

https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: CABLE AND CONDUIT ASSEMBLY
TO CONTRACT/PR: M1216273

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD	8. APP
	250	CODE
		REQUIRED
9. DIST STATEMENT		
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80639C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT	8. -
		9. **
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	
16. REMARKS		
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT <u>HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM</u> ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692, 1694 AND 1695)		

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED***	/ /
4. DI-CMAN-80640C*		
5. SECTION C		
6. AMSTA-AR-QAW	7. LT	8. -
		9. **
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13. ASREQ	
16. REMARKS		
*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT		

Exh E

HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695)

1. A003	14.	SEE ADDRESS CODE	/	/
2. NOTICE OF REVISION (NOR)		DISTRIBUTION	/	/
3.		ATTACHED**	/	/
4. DI-CMAN-80642C*				
5. SECTION C				
6. AMSTA-AR-QAW	7. LT	8. -	9. ***	
10. ASREQ	11. ---	15. TOTAL	0/	0/ 0
12. ASREQ	13. ASREQ			

16. REMARKS

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF NOR. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD TECHDATA/CMDOCS-LINK.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS 1692,1694 AND 1695) ***DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

The data delivery descriptions are available on the attached tacom-ri intranet site:

https://aais.ria.army.mil/aais/SOLINFO/Standard_Attachments/Index%20of%20Attachments.html

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAC

DATE: 07/01/2002

Exh